
## ADAPTOR DATASHEET



## N (FEMALE)-N(MALE) -N (FEMALE) TEE ADAPTOR

## N-KJK



## \*Dimensions are in mm

Configuration	
Connector 1 Type	N Female
Connector 1 Impedance	50 Ohms
Connector 1 Polarity	Standard
Connector 2 Type	N Male
Connector 2 Impedance	50 Ohms
Connector 2 Polarity	Standard
Connector 3 Type	N Female
Connector 3 Impedance	50 Ohms
Connector 3 Polarity	Standard
Adapter Body Style	Tee
Electrical Specification	ons
Electrical Specification	DC to 6 GHz
<u> </u>	DC to 6 GHz
Frequency	DC to 6 GHz
Frequency  Materials Informatio	DC to 6 GHz
Frequency  Materials Informatio  Center Contact	DC to 6 GHz  Phosphor bronze Gold Plated
Frequency  Materials Informatio  Center Contact  Outer Contact	DC to 6 GHz  Phosphor bronze Gold Plated Brass Nickel Plated
Frequency  Materials Informatio  Center Contact Outer Contact Body	DC to 6 GHz  Phosphor bronze Gold Plated Brass Nickel Plated Brass Nickell Plated
Frequency  Materials Informatio  Center Contact Outer Contact  Body Dielectric	DC to 6 GHz  Phosphor bronze Gold Plated Brass Nickel Plated Brass Nickell Plated

While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.

Gwave Technology Inc.	Tel.: +86 10 86484190	Page
4 <sup>th</sup> Floor,New Material Plaza,Yongfeng Hi-Tech Base,Haidian	Fax: +86 10 86484190-0	
District,Beijing ,China(100094) www.gwave-tech.com	email: gwave@gwave-tech.com	1/1